


SELF-CLOSING BIB TAP: AQUA205W

AQUA205W | 2000065911

PRODUCT GROUP : Taps | ARTICLE FAMILY : Self closing taps | ARTICLE GROUP : AQUA205 ++ | MODEL RANGE : AQUA



AQUALINE-S self-closing bib tap DN 15, noise group I, for connection to cold water or pre-mixed warm water, flow time adjustable, all-metal construction, polished chromium-plated brass. WRAS approved.

for connection to pre-mixed warm water

TECHNICAL DATA

calculation flow rate cold water	0.10 liter per second
depressurised	no
adjustable flow time	yes
functional principle	hydraulic self-closing
gross weight	0.69 kg
diameter nominal	DN 15
material fitting	brass
maximum flow time	20.00 seconds
minimum flow pressure	1.00 bar
minimum flow time	5.00 seconds
type of mixing	no mixing
net weight	0.65 kg
protective shutdown	no
sound insulation	1
spout projection	100.00 mm
surface finish fitting	chromed
surface material	chrome
thermal disinfection	no
type of fitting	bib tap
type of mounting	wall mounting
type of operation	manual operation
type of tap	bib tap

volume flow rate at 3 bar


0.10 liter per second

SELF-CLOSING BIB TAP: AQUA205W

AQUA205W | 2000065911

PRODUCT GROUP : **Taps** | ARTICLE FAMILY : **Self closing taps** | ARTICLE GROUP : **AQUA205 ++** | MODEL RANGE : **AQUA**

ACCESSORY



**EXTENSION ADAPTER:
ZAQUA002**

2000101433

SIMILAR PART



**SELF-CLOSING BIB TAP:
AQUA205**

2000065910
