


# F5L Mix MIRANIT shower panel with shower gel shelf

MODEL RANGE: F5 | F5LM2026 | 210.0590.350

Showers | Manual shower



F5L Mix shower panel made of mineral material for wall mounting with DN 15 single lever mixer and connecting nozzles for the shower head. For connection to hot and cold water. Shower valve with integrated mixing cartridge and pre-assembled hygiene unit including sensor with control electronics to perform automatic water hygiene flushing, program-controlled thermal disinfection (additional bypass solenoid-operated flush valve cartridge required) and storage of statistical data. Mixing cartridge with ceramic disc technology and thermostatic protection from scalding which is permanently set to 43 °C, and with safety switch-off in the event of a failure in the cold water supply. All-metal construction, visible parts high-polished or chrome-plated. Connecting nozzles for the required additional DN 15 Franke shower head with pre-fitted flow regulator 9.0 l/min. Housing with raised function surface and seamless moulded shower gel shelf made of MIRANIT resin-bonded mineral material with pore-free smooth surface (temperature-resistant up to 80 °C), Alpine white colour. Connecting hoses with lockable water volume control with backflow preventer and strainer. Activated water hygiene flushing at fixed intervals of 24 hours. With option for parameterization and communication via the optional bidirectional remote control. Optional hygiene unit for battery operation with 6 V lithium battery (CR-P2) per fitting or separate power supply via plug-in power supply unit 6.75 V/12 V DC.

Dimensions of housing 235 x 1160 x 100 mm (W x H x D)

Shower head and battery compartment including battery or plug-in power supply unit with extension cable to be ordered separately.

Technical data	
Overall depth	100.00 mm
Overall height	1,160.00 mm
Overall width	235.00 mm
Tailor made	No
Type of mounting	Wall mounting
Type of operation	Manual operation
Diameter nominal	DN 15
Inlet size	G-1-2-A
Material casing	Mineral material
Material fitting	Brass
Type of mixing	With thermostat / mixer
Sound insulation	No
Surface finish fitting	Chromed
Minimum flow pressure	1.50 bar
Volume flow rate at 3 bar	0.15 liter per second
Adjustable flow time	No
Functional principle	Manual
Protective shutdown	No
Thermal disinfection	Prepared for automatic thermal disinfection
Default automatic hygiene flushing	Fixed interval 24 hours
Power supply connection	6-12-VDC
Type of sensor	Opto-electronic sensor
Power supply connection	Info: info.int@franke.com   www.franke.com
Additional connections	No
Circulation	No
Connection with pay water dispenser	Not possible
Shower pipe draining	No



# F5L Mix MIRANIT shower panel with shower gel shelf

MODEL RANGE: F5 | F5LM2026 | 210.0590.350

Showers | Manual shower

## Accessory Mandatory



AQUAJET-Slimline shower head for F5 shower panels

2030054255


SHAS0011



AQUAJET-Comfort shower head for F5 shower panels

2030054254

SHAC0011



MÜNCHEN shower head for F5 shower panels

2030054793


SHMU0011



Battery compartment

2000109466


ZAQCT0003



Power supply unit

2030039477

ACEX9001




Extension cable 5 m

2030043814

ACEX9010

## Accessory Optional



Flow controller 12,0 l/min

2000104783

ESHHE0002



Solenoid valve cartridge

2030003033

EAQFU0001



Bidirectional remote control for electronic fittings F3 and F5

2030036654

ACEX9005



2-button remote control for fittings F3 and F5

2030036849

ACEX9004

# F5L Mix MIRANIT shower panel with shower gel shelf

MODEL RANGE: F5 | F5LM2026 | 210.0590.350

Showers | Manual shower

## Accessory Optional



Housing extension for F5 shower panels made of MIRANIT

2030057071

ACXX2016



Housing extension for F5 shower panels made of MIRANIT

2030057072

ACXX2017



Housing extension for F5 shower panels made of MIRANIT

2030057073

ACXX2018



Housing extension for F5 shower panels made of MIRANIT

2030057075

ACXX2019



Housing extension for F5 shower panels made of MIRANIT

2030057076

ACXX2020




Connection adapter

2000101441

AORM928

## Spare Parts



10 x

Flow controller 9,0 l/min

2000104782


ESHHE0001



Lever cap

2030041543

ASLM2003



Rosette

2030045510

ASXM2003



Dust cap

2030010039


EAQFT0004

# F5L Mix MIRANIT shower panel with shower gel shelf

MODEL RANGE: F5 | F5LM2026 | 2030054252

Showers | Manual shower

## Spare Parts



Ceramic disc cartridge with  
thermostatic scald-protection

2030042712

ASLM2004



Solenoid valve cartridge

2030003033

EAQFU0001



Disassembly tool

2030047203

ACXX9003