


KWC F5S-Therm Self-closing thermostat wall-mounted mixer

Modell-Linie: **F5S | F5ST2101**
Showers | Self closing showers



KWC-No.

3600008672

3600008673

with automatic shower pipe draining

shower pipe draining

no

yes

NEW

F5S-Therm self-closing thermostatic mixer DN 15 for wall mounting, for shower facilities. Hydraulically controlled, connects to hot water and cold water. With mechanism for optional hygiene unit with C-module for automatic hygiene flushing and readout of statistical data. FRAMIC self-closing cartridge, hydraulically controlled, low maintenance and stagnation free, with ceramic disc technology, self closing, flow pressure independent due to medium-independent design. Fully adjustable flow duration. Thermostat with metal

handle with adjustable and turn-proof temperature stop, with option for performance of manual thermal disinfection. Scald-protected, safe-touch housing with outlet on top, G 3/4 B, for installation of outlet bend or wall-mounted shower pipe. All-metal construction, polished chromium-plated brass. With adjustable and lockable connections with backflow preventers and strainers, fully covered by depth-adjustable screw rosettes.

Technical Data

additional connections

no

with backflow preventer

yes

circulation

no

compatible A3000 open

no

connection with pay water disp

not possible

with filter

yes

adjustable flow time

yes

functional principle

hydraulic self-closing

for hand shower

no

hygiene flushing

prepared

diameter nominal

DN 15

inlet size

G 1/2 B

Locking mechanism

Top section, ceramic

material casing

brass

material fitting

brass

maximum flow time

35 Seconds

minimum flow pressure

1 bar

minimum flow time

5 Seconds

type of mixing

with thermostat

overall depth


175 mm

overall height

70 mm

overall width

264 mm



KWC F5S-Therm Self-closing thermostat wall-mounted mixer

Modell-Linie: **F5S | F5ST2101**
Showers | Self closing showers

Parameterization	manual thermal disinfection
with rosettes/cover plate	yes
protective shutdown	no
shower pipe draining	no
sound insulation	no
surface finish casing	chromed
surface finish fitting	chromed
surface treatment fitting	polished
temperature limit	yes
thermal disinfection	manual thermal disinfection
with transformer/power supply	no
type of mounting	wall mounting
type of operation	manual operation
type of shower	wall fitting
volume flow rate at 3 bar	0.3 l/s
water connection	S-connections
position of water connection	from backside
Accent colour	none
Basic colour	chrome-look (glossy)

Optional Accessories



AQUAJET-Comfort shower head

2030021283
SHAC0008



AQUAJET-Slimline shower head

2000103757
AQUA757



Bent outlet

2030050434
ACXX2005



Bent outlet

2030050435
ACXX2006



Shower pipe

2030041522



Hygiene unit for compatible KWC self-closing thermostatic wall-mounted

KWC F5S-Therm Self-closing thermostat wall-mounted mixer


Modell-Linie: F5S | F5ST2101
Showers | Self closing showers

ACSX2002

mixers

3600008376
ACST9002

Spare Parts



Temperature stop

2030003296
EAQLT0003



Plug chromed

2030053006
ASSX9004



Guide ring

2030048356
ASSX9002



Safety ring

2030048357
ASSX9003



FRAMIC Self-closing cartridge

2030046145
ASSX9001